



## King™ Combination Nipples

Size (mm)	Pipe OD (mm)	Unplated Steel Grooved Ends		Plated Steel Shouldered Ends	
		Part No.	Price \$	Part No.	Price \$
25	33.4	STV10	6.21	---	---
32	42.2	STV15	8.06	---	---
40	48.3	STV20	9.52	---	---
50	60.3	STV25	11.36	STVS25	53.20
65	76.1	STV30-M	25.05	---	---
75	88.9	STV35	22.14	STVS35	73.07
100	114.3	STV40	39.71	STVS40	262.84
125	139.7	STV50	88.94	---	---
150	165.1	STV60-M	120.12	STVS60-M	304.15
200	219.1	STV80	317.70	STVS80	1218.57
250	273.0	STV100	557.24	STVS100	1523.20
300	323.9	STV120	721.14	STVS120	1980.17



Grooved




Shouldered



Price Group: SD

AM01

Size (mm)	Pipe OD (mm)	Unplated Steel Bevelled Ends		316 Stainless Steel Bevelled Ends	
		Part No.	Price \$	Part No.	Price \$
20	26.7	STB5	4.37	RSTB5	53.21
25	33.4	STB10	6.21	RSTB10	66.93
32	42.2	STB15	8.06	RSTB15	58.39
40	48.3	STB20	9.52	RSTB20	56.72
50	60.3	STB25	11.36	RSTB25	77.34
63.5 (USA)	73.0	---	---	RSTB30	120.85
65	76.1	STB30-M	25.05	RSTB30-M	194.23
75	75.0	STB35	22.14	RSTB35	105.91
125	139.7	STB50	88.94	---	---
150	168.0	---	---	RSTB60	624.16
150	165.1	STB60-M	146.81	RSTB60-M	567.41
200	219.1	STB80	317.70	---	---
250	273.0	STB100	514.22	---	---
300	323.9	STB120	931.65	---	---



Grooved and Bevelled ends (in Brass and Aluminum) available in selected sizes. Consult Dixon™ for prices and availability.

Price Group: SD

AM01

- Combination nipples are recommended for low pressure discharge and suction service for compatible liquids. **They are not for compressible products such as air or nitrogen on sizes 1/4" and above.**
- King™ Combination Nipples are not recommended for steam.** The working pressure may vary with the construction of hose, the type of clamping system used and the application. Consult Dixon™ for recommendations.
- Not intended for compressed air.

