



PRODUCT TO BE CONVEYED: _____
 SEALS: N/A
 MAX PRESSURE: 275 PSI
 ESTIMATED LOADING ARM WEIGHT: 35 lbs
 SEAL TEMPERATURE RANGE: N/A
 DISTRIBUTOR APPROVAL: _____ DATE: _____
 CUSTOMER APPROVAL: _____ DATE: _____

NOTE:

Loading arms have been designed to work in a set range of motion and calculated to balance the provided equipment. If additional items are installed (such as tie-down chains, drip buckets, valves, vapor hoses etc.) it will adversely affect the balance and range of the loading arm. All loading arms are custom made to order and are not returnable, however Dixon is committed to providing a solution to any unforeseen issue. Loading arm part numbers are subject to change.



The Right Connection™

dixonvalve.com

PROPRIETARY AND CONFIDENTIAL <small>This drawing is owned by Dixon Valve & Coupling Co. and shall be returned upon demand. It is loaned on condition that it shall not be copied or reproduced or submitted to others without the owners consent. In accepting it subject to this condition the recipient further agrees that this drawing or any design detail or concept disclosed herein shall not be used in any way detrimental to or in competition with the owner. If the recipient does not agree to the terms of this agreement they shall return this drawing immediately. The information contained in this drawing is subject to change without notice.</small>	DIXON U.S.A. <small>THE RIGHT CONNECTION™</small>
	<small>TITLE:</small> 4" EXTENSION W/ 150 lbs. FLANGES
<small>MATERIAL:</small> CARBON STEEL	<small>PART NUMBER:</small> 4LCS-FGXFG-24 REV:
DO NOT SCALE THIS DRAWING	